

# bsi.

## Kitemark™ Licence



This is to certify that:

**Pipeline Ireland Limited**  
PO Box 29  
Whites Cross  
Cork  
Ireland

Holds Kitemark Licence Number:

**KM 36801**


In respect of:  
**BS 7291 Pt1, 2 & 3**

**Thermoplastic pipes and associated fittings for hot and cold water for domestic purposes and heating installations in buildings**


This issues the right and Licence to use the Kitemark in accordance with the Kitemark Terms and Conditions governing the use of the Kitemark, as may be updated from time to time by BSI Assurance UK Ltd (the "Conditions"). All defined terms in this Licence shall have the same meaning as in the Conditions.

The use of the Kitemark is authorized in respect of the Product(s) detailed on this Licence provided at or from the above address.

For and on behalf of BSI:

  
Gary Fenton, Global Assurance Director

First Issued: 30/04/1997



Latest Issue: 10/05/2013

Page 1 of 3

...making excellence a habit.™

This Licence remains the property of The British Standards Institution and shall be returned immediately upon request.  
To check its validity telephone +44 (0)845 080 9000  
Information and contact: BSI, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP. Tel: +44 845 080 9000.  
BSI Assurance UK Limited, registered in England under number 7805321, at 389 Chiswick High Road, London, W4 4AL, UK.  
A member of the BSI Group of Companies.

## No. KM 36801

**BS 7291 Pt 1, 2 & 3:2010 - Thermoplastics pipes and fittings systems for hot and cold water for domestic purposes and heating installations in buildings.**

### Part 2 Specification for polybutylene (PB) pipes and associated fittings

To be used in conjunction with Pipelife inserts.

Polybutylene (PB) grey and white coloured flexible pipes for service applications up to and including 'Class S'.

**Sizes:** 10mm, 15mm, 16mm, 22mm & 28mm.

**Trade Name and Pipe Description:** Qual-PB (barrier pipe).

Qual-PB barrier pipes are manufactured in materials QP-PB1 and QP-PB 2 (Grey and White).

Qual-PB pipes are available in straight lengths and coils and are intended to be used with PlumbFast supplied pushfit fittings or compression fittings complying with BS EN 1254 as well as Pipelife inserts.



First Issued: 30/04/1997

Latest Issue: 10/05/2013

Page 2 of 3

## No. KM 36801

### Part 3 Specification for cross-linked polyethylene (PE-X) pipes and associated fittings

To be used in conjunction with Pipelife inserts.


Crosslinked polyethylene (PE-X), barrier and non-barrier flexible pipes, in colours blue, cream, green, grey, red, tan, and white for service applications up to and including 'Class S'.

**Sizes:** 10mm, 12mm, 15mm, 22mm & 28mm.

**Trade Name & Pipe Description:** Qual-PEX Barrier & Non-Barrier Pipes

Qual-PEX barrier and non-barrier pipes are manufactured in materials P-PEX3 & QP-PEX4.

Qual-PEX pipes are available in straight lengths and coils and are provided with Membrane applied pushfit fittings or compression fittings complying with BS EN 1254 as well as pipe inserts.



First Issued: 30/04/1997

Latest Issue: 10/05/2013

Page 3 of 3

This Licence remains the property of The British Standards Institution and shall be returned immediately upon request.  
To check its validity telephone +44 (0)845 080 9000  
Information and contact: BSI, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP. Tel: +44 845 080 9000.  
BSI Assurance UK Limited, registered in England under number 7805321, at 389 Chiswick High Road, London, W4 4AL, UK.  
A member of the BSI Group of Companies.